


# How to turn off the Printer Pop-up



# Local Admin

- Your library's local admin will have to perform the following on each workstation
- Go to Admin →  
For Developers →  
about:config



# BE CAREFUL

- You'll have to click the “I'll be careful, I promise” button



## This might void your warranty!

Changing these advanced settings can be harmful to the stability, security, and performance of this application. You should only continue if you are sure of what you are doing.

☒ Show this warning next time

I'll be careful, I promise!

# Right click anywhere in the white space

- You'll notice that one of the rows gets highlighted—you're just adding a new Boolean row


The screenshot shows the 'about:config' window with a list of preferences. The row 'accessibility.tabfocus' is highlighted. A right-click context menu is open over the white space, with the 'New' option selected. A sub-menu is also open, showing 'String', 'Integer', and 'Boolean' options, with 'Boolean' highlighted.

Preference Name	Status	Type	Value
accelerometer.enabled	default	boolean	true
accessibility.accesskeycausesactivation	default	boolean	true
accessibility.browsewithcaret	default	boolean	false
accessibility.browsewithcaret_shortcut.enabled	default	boolean	true
accessibility.tabfocus	default	integer	7
accessibility.tabfocus_applies_to_xul	default	boolean	false
accessibility.typeaheadfind	default	boolean	true
accessibility.typeaheadfind.autostart	default	boolean	true
accessibility.typeaheadfind.casesensitive	default	integer	0
accessibility.typeaheadfind.enabletsound	default	boolean	true
accessibility.typeaheadfind.enabletimeout	default	boolean	true
accessibility.typeaheadfind.linkonly	default	boolean	true
accessibility.typeaheadfind.prefillwithselection	default	boolean	true
accessibility.typeaheadfind.soundURL	default	string	beep
accessibility.typeaheadfind.startlinkonly	default	boolean	false
accessibility.typeaheadfind.timeout	default	integer	4000
accessibility.usebraildisplay	default	string	

# print.always\_print\_silent


- Copy the string above
- Paste it in the “New Boolean Value” box

ite-timer  
er  
date-timer



# Make the value “true”

- In the “Enter string value” box, make this true



# Exit the “about:config” tab

- Your change has saved.
- You should not get the printer pop up window
- PLEASE NOTE: If you ever get a new printer for the client or need to set a different default printer, you will need to set the value to False.

prefs.converted-to-utf8	default	boolean	false
print.always_cache_old_pres	default	boolean	false
print.always_print_silent	user set	boolean	false
print.extend_native_print_dialog	default	boolean	true
print.print_edge_bottom	default	integer	0